

CATALOGO ITALIA

RACE

2026-2027



 **DYNASTAR**

LANGE

 **LOOK**

 **KERMA**





**SPEED OMEGLASS
WC FIS SL
FACTORY R22**

DAOAL01 PIASTRA R22

Sizes 165 (FIS SL)
Sidecut 119-67-102
Radius 13m



**SPEED OMEGLASS
WC FIS SL R22**

DAOAP01W PIASTRA R22

Sizes 157
Sidecut 117-66-102
Radius 12m

DAOAI01 PIASTRA R22

Sizes 150
Sidecut 115-66-101
Radius 11m



**SPEED COURSE WC
FIS GS R22**

DAOGM01 PIASTRA R22

SPEED COURSE WC FIS GS
FACTORY
Sizes 193
Sidecut 100-65-82
Radius 30m

DAPGQ02 PIASTRA R22

Sizes 188 Sidecut 100,5-65-82,5
Radius 30m



**SPEED COURSE WC
GS R22**

DAOGB01 PIASTRA R22

SPEED WC GS
Sizes 185
Sidecut 102-65-84
Radius 27m

DAODP01 PIASTRA R22

Sizes 170 Sidecut 104-65-87
Radius 20m
Sizes 175 Sidecut 102-65-85
Radius 23m
Sizes 182 Sidecut 103-65-85
Radius 25m

SPEED SKIS WITH R22 PLATES* *SG 203 Approved "U16" & "FIS ladies" / ** for women and lightweight men

CODICE	MODELLO	RAGGIO	28 m	34 m	> 40 m	> 40 m	> 45 m	> 50 m
		MISURE	186	196	203*	209	212	218
DAOY1DH	SPEED WC FIS DH HARD EUROPA CUP							.
DAOY2DH	SPEED WC FIS DH MEDIUM EUROPA CUP							.
DAOY1SG	SPEED WC FIS SG EUROPA CUP					.	.	
DAOSA01	SPEED WC FIS SG FACTORY R22				.			
DAOSB01	SPEED WC SG FACTORY R22		.	.				

orld Cup

di

di

di

di



ROMANE MIRADOLI
FRA



**SPEED COURSE TEAM
GS R21 PRO**

DAODR01

Sizes 128 Sidecut 112-65-98
Radius 8m
Sizes 135 Sidecut 113-65-98
Radius 9m
Sizes 142 Sidecut 114-65-99
Radius 10m
Sizes 149 Sidecut 115-65-100
Radius 11m



**SPEED OMEGLASS
TEAM SL R21 PRO
SPEED TEAM PRO**

DAOAF01

Sizes 126 Sidecut 102-66-80
Radius 13m
Sizes 134 Sidecut 103-66-82
Radius 14m
Sizes 143 Sidecut 104-65-84
Radius 15m
Sizes 150 Sidecut 104-65-85
Radius 16m
Sizes 158 Sidecut 106-65-87
Radius 17m
Sizes 164 Sidecut 107-65-87
Radius 18m
Sizes 171 Sidecut 107-65-88
Radius 19m



CLEMENT NOËL
FRA



TOMMASO SALA
ITA

RACE ATTACCHI



Silver Red

**PX 18 WC
ROCKERACE**

FCBP01



Silver Red

SPX 15 ROCKERACE

FCPBS01



Silver Red

**SPX 12 ROCKERACE
GW**

FCPBS03



**GRIP
WALK**

JUNIOR ATTACCHI



Silver Red

SPX 12 GW B80

FCPAS01

**GRIP
WALK**



Silver Red

SPX 11 GW B73

FCPAS02

**GRIP
WALK**



Silver Red

NX 10 GW B73

FCPAN01

**GRIP
WALK**



Silver Red

NX 7 GW LIFTER B73

FCPAN02

**GRIP
WALK**



Silver Red

NX 7 GW B73

FCPAN03

**GRIP
WALK**



**CHILDREN BOOT
ADAPTER KIT**

FCJF001



ARIANNA PUTZER
ITA

ATTACCHI RACING

ENERGY TRANSMISSION

1 R22 WC

La piastra R22 è stata sviluppata per i nostri atleti di Coppa del Mondo.

- Boot soles: 264-352 mm
- Compatible bindings: PX18, SPX 15, SPX 14, SPX 12 ROCKERACE
- One Piece
- Metal Inserts
- Metal Side wall for a **better grip**
- Weight: 395 g (half pair)



Metal Sidewall insert



BENEFITS

- Regular flexibility
- Lightweight
- Lifter for better angle
- Better grip

2 R21 PRO

La piastra R21 è la versione della piastra R22 sviluppata per i giovani campioni.

- Boot soles: 241-317 mm
- Compatible bindings: SPX 11 GW, NX 10 GW, NX 7 GW
- Two Pieces
- Composite inserts
- Weight: 190 g (half pair)



BENEFITS

- Regular flexibility
- Lightweight
- Lifter for better angle

RACE																WITH R22 PLATES			
FCLBP02	PX 18 WC ROCKERACE	Hot Red	10-18	≥79kg	≥175lbs	Race	Race AFD	PX WC ALU	Rockerace	< 80 mm	1635 g	•				20 mm	27,6 mm	31,2 mm	Lifters
FCLBS02	SPX 15 ROCKERACE	Hot Red	7-15	≥58kg	≥126lbs	Race	Race AFD	SPX Micro	Rockerace	< 80 mm	1295 g	•				20 mm	27,6 mm	31,2 mm	
FCNBS02	SPX 15 ROCKERACE	Black Master	7-15	≥58kg	≥126lbs	Race	Race AFD	SPX Micro	Rockerace	< 80 mm	1295 g	•				20 mm	27,6 mm	31,2 mm	
FCMBS02	SPX 14 ROCKERACE GW	Black Red	5-14	≥42kg	≥92lbs	Full Action	Full Action GW AFD	SPX Micro	Rockerace	< 80 mm	1130 g	•		•		20 mm	30,5 mm	31,2 mm	
FCLBS04	SPX 12 ROCKERACE GW	Hot Red	3,5-12	≥31kg	≥67lbs	Full Action	Full Action GW AFD	SPX Micro	Rockerace	< 80 mm	1130 g	•		•		20 mm	30,5 mm	31,2 mm	
JUNIOR A LA CARTE																			
FCLAS06	SPX 12 GW	Hot Red	3,5-12	≥31kg	≥67lbs	Full Action	Full Action GW AFD	SPX	3P	< 80 mm	1110 g	•		•		45 mm	16,5 mm	19,5 mm	
FCNAS16	SPX 11 GW	Hot Red	3,5-12	≥31kg	≥67lbs	FDC	Full Action GW AFD	SPX	2P	< 73 mm	900 g	•		•		24 mm	14 mm	16 mm	
FCLAN03	NX 10 GW	Black Hot Red	3-10	≥26kg	≥57lbs	FDC	FDC GW AFD	NX	2P	< 73 mm	795 g	•		•		24 mm	14 mm	16 mm	
FCLAN04	NX 7 GW Lifter	Black Hot Red	2-7	22-78kg	48- 174lbs	FDC	FDC GW AFD	NX	2P	< 73 mm	880 g	•		•		24 mm	20 mm	26 mm	Adult G1 Screw Kit
FCLAN05	NX 7 GW	Black Hot Red	2-7	22-78kg	48- 174lbs	FDC	FDC GW AFD	NX	2P	< 73 mm	765 g	•		•		24 mm	10 mm	16 mm	Adult G1 Screw Kit

RS
BE FASTER & FASTER



LANGE



AERO DESIGN

RACE FLEX
ADJUST

PIÙ VELOCI E AERODINAMICI CHE MAI

I Lange RS, modelli iconici del brand, sono stati riprogettati in ogni minimo dettaglio per offrire velocità e prestazioni superiori. Questi scarponi uniscono un design aerodinamico, testato in galleria del vento, a tecnologie collaudate in Coppa del Mondo.



Grazie alla costruzione Dual Core, i nuovi RS assicurano potenza e un ritorno elastico esplosivo. Progettati per essere un'estensione naturale del corpo, offrono un controllo millimetrico in ogni curva.

L'innovazione Race Flex Adjust garantisce una trasmissione ottimale della potenza; nella sua impostazione più morbida, permette di ridurre il flex dell'8% senza alcuna dispersione di energia, assicurando così la massima efficienza in pista.



UNA GAMMA PENSATA PER OGNI ATLETA E OGNI LIVELLO DI SFIDA

Lange accompagna gli sciatori fin dai primi passi nel mondo dell'agonismo con una linea dedicata, studiata per favorire la progressione tecnica. Dal modello RSJ fino agli scarponi World Cup ad alte prestazioni, ogni caratteristica e specifica tecnica è calibrata sulle esigenze dei diversi livelli di competizione.





LBN9240
WORLD CUP RS ZC

FEATURES Last: 92mm Flex: 150 Size: 23.5 to 29.5 Color: Vibrant blue	LINER World Cup Liner Core Custom World Cup World Cup Footbed World Cup Tongue
SHELL Shell: PU ETHER Cuff: POLYETHER Dual Canting Solid Sole Cam-Lock 50mm Strap: 350mm/385mm	

LBN9250
WORLD CUP RS ZB

FEATURES Last: 92mm Flex: 140 Size: 22.5 to 29.5 Color: Vibrant blue	LINER World Cup Liner Core Custom World Cup World Cup Footbed World Cup Tongue
SHELL Shell: PU ETHER Cuff: POLYETHER Dual Canting Solid Sole Cam-Lock 50mm Strap: 350mm/385mm	

LBN9260
WORLD CUP RS ZA

FEATURES Last: 92mm Flex: 130 Size: 22.5 to 29.5 Color: Vibrant blue	LINER World Cup Liner Core Custom World Cup World Cup Footbed World Cup Tongue
SHELL Shell: PU ETHER Cuff: POLYETHER Dual Canting Solid Sole Cam-Lock 50mm Strap: 350mm/385mm	



LBN9280
WORLD CUP RS ZJ+

FEATURES Last: 92+mm Flex: 120 Size: 22.5 to 28.5 Color: Vibrant blue	LINER World Cup Liner Core Custom World Cup World Cup Footbed World Cup Tongue
SHELL Shell: PU ETHER Cuff: POLYETHER Dual Canting Solid Sole Cam-Lock 50mm Strap: 350mm/385mm	

LBN9290
WORLD CUP RS ZA+

FEATURES Last: 92+mm Flex: 130 Size: 22.5 to 28.5 Color: Vibrant blue	LINER World Cup Liner Core Custom World Cup World Cup Footbed World Cup Tongue
SHELL Shell: PU ETHER Cuff: POLYETHER Dual Canting Solid Sole Cam-Lock 50mm Strap: 350mm/385mm	

LBN9300
WORLD CUP RS ZSOFT+

FEATURES Last: 92mm Flex: 110 Size: 22.5 to 28.5 Color: Vibrant blue	LINER World Cup Liner Core Custom World Cup World Cup Footbed World Cup Tongue
SHELL Shell: PU ETHER Cuff: POLYETHER Dual Canting Solid Sole Strap: 40mm	



LBN9310
WORLD CUP RS 140 ZR

FEATURES Last: 95mm Flex: 140 Size: 22.5 to 28.5 Color: Vibrant blue	LINER World Cup Liner Core Custom World Cup World Cup Footbed World Cup Tongue
SHELL Shell: PU ETHER Cuff: POLYURETHANE Dual Canting Solid Sole Cam-Lock 50mm Strap: 350mm/385mm	



LBN1310
RS 110 SC

FEATURES Last: 97mm Flex: 110 Size: 21.5 to 28.5 Color: Vibrant blue	LINER Dual 3D liner Pro Core Custom2 Custom Tongue
SHELL Shell: POLYURETHANE Cuff: POLYURETHANE Dual Canting Solid Sole Strap: 40 mm	



LBN5010
RS 90 SC

FEATURES Last: 97mm Flex: 90 Size: 21.5 to 28.5 Color: Vibrant blue	LINER Dual 3D Liner Perf Core Custom 3 Premium Footbed Custom Tongue
SHELL Shell: POLYURETHANE Cuff: POLYURETHANE External Canting Solid Sole Strap: 30mm	



LBN5030
RS 70 SC

FEATURES Last: 97mm Flex: 70 Size: 21.5 to 28.5 Color: Vibrant blue	LINER Dual 3D Liner Perf Core Custom 3 Premium Footbed Custom Tongue
SHELL Shell: POLYURETHANE Cuff: LYFRAN External Canting Solid Sole Strap: 30mm	



DKJP100	KERMA LEG PROTECTION SR
sizes : M - L	
weight : 600 g	



DKJP101	KERMA LEG PROTECTION JR
sizes : S	
weight : 500 g	



DKJP102	KERMA HAND PROTECTION
sizes : TU	
weight : 400 g	



DKJP104	KERMA FOREARM PROTECTION SR
sizes : TU	
weight : 300 g	



DKJP103	KERMA FOREARM PROTECTION JR
sizes : TU	
weight : 200 g	

RACE

DDMG002	SPEED GS-SG SR		
sizes : 115-135 cm		diameter : 18 mm	weight : 240 g



DDMG003	SPEED SL SR		
sizes : 115-135 cm		diameter : 18 mm	weight : 245 g



JUNIOR / RACE

DDMG005	SPEED GS-SG JR		
sizes : 90-115 cm		diameter : 16 mm	weight : 180 g



DDMG006	SPEED SL JR		
sizes : 90-115 cm		diameter : 16 mm	weight : 180 g





THIBAUT FAVROT
FRA



HUGO DEGRIPPES
FRA



LANGE HEATED BAG 230V

LKNB100

FEATURES

VOLUME (L) : 65
WEIGHT (KG) : 4,64
DIMENSIONS (mm) :
L430*W340*H460



LANGE RACER BAG

LKNB102

FEATURES

VOLUME (L) : 80
WEIGHT (KG) : 1,9
DIMENSIONS (mm) :
L490*W280*H700



LANGE PRO BOOT BAG

LKNB106

FEATURES

VOLUME (L) : 45
WEIGHT (KG) : 0,72
DIMENSIONS (mm) :
L380*W240*H400



LANGE BACKPACK

LKNB107

FEATURES

VOLUME (L) : 45
WEIGHT (KG) : 1,3
DIMENSIONS (mm) :
L300*W140*H480



DKPAT01

F-TEAM CARGO BAG

Capacity/Volume	130 L
Size	L810 x W410 x H400 mm
Weight	5.90 KG



DKPAS01

F-TEAM CABIN BAG

Capacity/Volume	50 L
Size	L520 x W320 x H300 mm
Weight	2.90 KG

TABELLA NORMATIVE STAGIONE 2026-27

PARAMETRI	MODELLI	CATEGORIA WC GIO ASP	CATEGORIA GIO ASP	CATEGORIA ALL U16	CATEGORIA RAG U14	CATEGORIA MASTER
LUNGHEZZA SCI	DH FEMMINILE	210 min	205 min			
	DH MASCHILE	218 min	213 min			
	SG FEMMINILE	205 min	200 min	183 min		180 min
	SG MASCHILE	210 min	205 min	183 min		185 min
	GS FEMMINILE	188 min	183 min	188 max	188 max	175 min
	GS MASCHILE	193 min	188 min	188 max	188 max	180 min
	SL FEMMINILE	155 min	155 min	130 min	130 min	
	SL MASCHILE	165 min	165 min*	130 min	130 min	

*CATEGORIA ASPIRANTI PRIMO ANNO POSSONO UTILIZZARE SCI SL mis. 155

NORMATIVA RAGGI	DH FEMMINILE	50 min	50 min			
	DH MASCHILE	50 min	50 min			
	SG FEMMINILE	40 min	40 min	30 min		
	SG MASCHILE	45 min	45 min	30 min		
	GS FEMMINILE	30 min	30 min	17 min	17 min	
	GS MASCHILE	30 min	30 min	17 min	17 min	
	SL FEMMINILE					
	SL MASCHILE					

NORMATIVA ALTEZZA: SCI + PIASTRA + ATTACCO 50 mm max

SCHEMA TECNICA RACING DYNASTAR STAGIONE 2026-27

RACING GS					NORMATIVA F.I.S. mm 50 max			
-----------	--	--	--	--	----------------------------	--	--	--

	MISURA	PIASTRA		ATTACCO	ALT PUNT	ALT TALL	LIFTER PUNT	LIFTER TALL
GS	193	R22		PX 18 - SPX 15	48 mm	50 mm	2 mm	0 mm
GS	188	R22		PX 18 - SPX 15	43 mm	48 mm	5 mm	2 mm
GS	185	R22		SPX 15 - SPX 12	46 mm	49 mm	4 mm	1 mm
GS	182	R22		SPX 15 - SPX 12	43 mm	46 mm	5 mm	4 mm
GS	175	R22		SPX 12	42 mm	46 mm	5 mm	4 mm
GS	170	R22		SPX 12	42 mm	45 mm	5 mm	5 mm
GS	165	R22		SPX 12	42 mm	44 mm	5 mm	5 mm

GS	171	R21 PRO		SPX 12 (Codice FCLA506) - SPX 10				
GS	164	R21 PRO		SPX 12 (Codice FCLA506) - SPX 10 - NX 10				
GS	158	R21 PRO		SPX 12 (Codice FCLA506) - SPX 10 - NX 10				
GS	150	R21 PRO		NX 10 - NX 7				
GS	143	R21 PRO		NX 10 - NX 7				
GS	134	R21 PRO		NX 10 - NX 7				
GS	126	R21 PRO		NX 10 - NX 7				

RACING SL					NORMATIVA F.I.S. mm 50 max			
-----------	--	--	--	--	----------------------------	--	--	--

SL	165	R22		PX 18 - SPX 15	43 mm	46 mm	5 mm	4 mm
SL	157	R22		PX 18 - SPX 15	42 mm	45 mm	5 mm	5 mm
SL	150	R22		SPX 15 - SPX 12	42 mm	44 mm	5 mm	5 mm

SL	149	R21 PRO		SPX 10 - NX 10 - NX 7				
SL	142	R21 PRO		SPX 10 - NX 10 - NX 7				
SL	135	R21 PRO		NX 10 - NX 7				
SL	128	R21 PRO		NX 10 - NX 7				